

SUPER GRIP FULL DIP OIL/WET NITRILE GLOVE



HANVO®
SUPER GRIP
 NKX504 9/L
 EN388 EN420
 CE 4131

POLYESTER
LINER

15G
GUAGE

SANDY
NITRILE

FULL
DIP

SPANDEX
CUFF



MECHANICAL RISK PROFILE

The gloves performance against mechanical risk tests as stipulated by the EN388 standard.

ABRASION 1 2 3 4

CUT 1

TEAR 1 2 3

PENETRATION 1

SANDY NITRILE COATING PROPERTIES

Sandy nitrile is a synthetic rubber-like compound with sand particles. It has great flexibility and excellent abrasion resistance. Nitrile is resistant to the permeation of liquids and oils and offers superior grip in wet, dry & oily conditions.

DRY GRIP 1 2 3 4

WET GRIP 1 2 3 4

OIL GRIP 1 2 3 4 5

DEXTERITY 1 2 3 4

DURABILITY 1 2 3 4

DIVERSITY 1 2 3 4

SPECIFICATIONS:

- Seamless 15g black woven polyester liner provides increased comfort, dexterity and breathability.
- Full nitrile dip and sandy nitrile palm dip provides superior grip in wet, dry & oily conditions with excellent abrasion and tear resistance.
- Excellent resistance to liquid & oil permeation.
- Knit wrist helps prevent dust & debris from entering the glove liner.
- Full dip protects the entire hand from liquid & oil permeation.
- Sizes: 7/S, 8/M, 9/L, 10/XL, 11/XXL

APPLICATIONS:

- Mechanical Maintenance
- Automotive / Aeronautical
- Sanitation / Waste / Recycling
- Construction
- Transport / Warehousing
- Cold / Wet Handling

